

Agilent 7697A GC Headspace Sampler

YOUR GENUINELY BETTER SOLUTION FOR VOLATILES ANALYSIS

The Measure of Confidence



Agilent Technologies

AGILENT 7697A HEADSPACE SAMPLER

A high performance system
powered by intuitive software.

**Now there is a *genuinely better* headspace technology
backed by four decades of Agilent expertise.**

Based on Agilent's industry-leading 7890B GC and 7693A Automatic Liquid Sampler (ALS) architecture, the **7697A Headspace Sampler** ensures an inert sample pathway for superior GC performance *without analyte degradation* or loss.

It is also packed with the latest productivity-boosting features, and powered by Agilent's rugged sampling technology to ensure the integrity of your every injection.

With its revolutionary
sample tray design, the
Agilent 7697A Headspace
Sampler provides
unparalleled throughput



Proven technologies combined with the very latest advances in headspace sampling

When every second counts – and when everything from court cases to the safety of our drinking water is riding on your results – you need the best, most current headspace sampling technologies at your disposal.

That is why we designed the 7697A Headspace Sampler with time-tested hardware features, such as advanced pneumatic controls and valve-based sampling, which deliver extraordinary precision, versatility, and performance.

But advanced design and hardware features are only part of the story. We engineered our Headspace Control Software to be a fundamental part of the 7697A system – one that simplifies method setup while minimizing training time.



Exclusive “green” features conserve resources and protect our planet

The 7697A Headspace Sampler is designed to conserve electricity, gas, and other valuable resources with features such as automatic shutdown and wake-up.

What’s more, the Headspace Control Software simplifies the process of reducing gas flow, so you can more efficiently manage your supply of essential gas.

Best-in-class technology, powerful software



111-vial capacity

maximizes analysis time and helps you meet tight timeframes. **Page 4**



Unique sampling design

allows you to use hydrogen as a carrier gas, delivering optimal chromatography. **Page 6**



Integrated bar code reader

confirms and verifies samples. **Page 6**



Comprehensive software

goes beyond sample handling to guide you through tasks such as method development and resource conservation. **Page 8**



Method optimization tools

facilitate headspace method development. **Page 8**



Electronic pneumatic control,

vial leak checking, and barometric pressure compensation ensure consistent results. **Page 10**



Ergonomic crimper

promotes proper vial capping and decreases the strain on your hands. **Page 10**

To learn more about the 7697A GC Headspace Sampler, visit agilent.com/chem/7697A

A RELIABLE AND ROBUST WORKHORSE THAT MAXIMIZES THROUGHPUT, AND MINIMIZES ERROR

Agilent's 7697A Headspace Sampler delivers first-class precision, reliability, and ease-of-use with these leading-edge features:

- **111-vial capacity** accommodates high-volume sequences, and includes three priority positions that allow you to run urgent samples at any time.
- **Infinite throughput** enabled by three 36-vial racks that can be exchanged while the Headspace Sampler is operating.
- **Hardware optimized multiple sample overlap** factors in specific method parameters to maximize throughput, while maintaining constant heating time for each sample.
- **Superior sampling flexibility** because the 7697A Headspace Sampler supports 10 mL, 20 mL, or 22 mL vials of virtually any style.



NO OTHER HEADSPACE TECHNOLOGY DELIVERS THE PERFORMANCE, SIMPLICITY, AND RELIABILITY OF AGILENT'S INNOVATIVE DESIGN

Engineered from the ground up, Agilent's cutting-edge headspace technology combines advanced electronic pneumatic control with proven valve-based sampling. These innovations offer several advantages over traditional pressure-controlled systems – including:

- **Compatibility with hydrogen carrier gas** lowers operating costs and decreases your analysis time. The system also reduces the risks associated with pressurizing sample vials.
- **Controlled venting** allows vial pressure to be released gradually while the sample is being analyzed. Samples are depressurized by the time they return to the tray.
- **No O-rings to replace**, saving you hours of unnecessary downtime – especially if your lab runs more than 100 samples per day.
- **Agilent's fully automatic vial leak test** checks each vial during pressurization – without time-consuming calibration. So you can be confident that every sample is properly capped.



Agilent 7890B with 7697A



Agilent 7890B with 7697A, 7693, and 5977A



The 7697A HS unique sampling system maintains maximum thermal control to ensure optimal performance.



Integrated pneumatics and advanced mechanical design provide for superior reliability.



Agilent 7820A with 12-vial 7697A



To learn more about the 7697A GC Headspace Sampler, visit agilent.com/chem/7697A

GENERATE DATA TO MEET A WIDE RANGE OF CRITICAL APPLICATION NEEDS

Reliably determine ethanol levels in blood and other biological matrices

Blood and biological fluids are not the cleanest of matrices, and are therefore well suited for headspace sampling. Other advantages of headspace sampling include reduced inlet and column maintenance, better quantitation, limited sample preparation, and increased throughput.

Agilent's 7697A Headspace Sampler also gives you an added benefit: shorter cycle times for blood alcohols without sacrificing resolution. The sampler's proven architecture, together with Agilent's exclusive sampling design, delivers industry-leading precision while reliably separating ethanol from common interferences, as you can see in the following example.



1. Acetaldehyde
2. Methanol
3. Ethanol
4. Acetone
5. Isopropanol
6. Acetonitrile
7. Ethyl acetate
8. Methyl-Ethyl ketone

Easy method transfer makes your upgrade easier. Here we transferred a blood alcohol analysis method from Agilent's 1888A Headspace Sampler to the 7697A Headspace Sampler.

GC: Oven: 35° C isothermal

Inlet: Split/splitless, 5:1 split at 200° C

CFT splitter used to connect both columns to same inlet using 16 cm of a 530 µm guard column

Column I: DB-ALC1 (30 m x 0.32 mm x 1.8 µm)

Column II: DB-ALC2 (30 m x 0.32 mm x 1.2 µm)

Headspace: Oven: 85° C

Vial equilibration: 15 min at shaking of 1

G1888 Headspace: Oven: 85° C

Vial equilibration: 15 min at low shaking


Sample: 200 µL of 0.01% resolution control standard in 20 mL vial



Keeping the chain of custody intact, Agilent's unique headspace sampler Bar Code Reader with data transfer capabilities allows you to track samples before they enter the oven. This is essential for labs that perform blood alcohol analysis, or other applications that require maximum confirmation.



Meet stringent safety standards and ensure regulatory compliance for environmental applications




Analysis of 60 VOCs in water using the Agilent 7697A Headspace Sampler: Recent hardware advances have increased GC/MSD sensitivity while lowering detection limits, thereby allowing headspace sampling to be used for drinking and surface water analysis.


The productivity advantages include fewer problems related to carryover, cross-contamination, and foam formation (which are typical with purge-and-trap techniques).

Confidently detect pharmaceutical impurities at very low levels

Class 2A Residual Solvents



Class 2B Residual Solvents



Gas chromatography, coupled with static headspace sampling, is an easy-to-use high-throughput tool for determining residual solvent impurities in drugs.

Sample preparation is relatively simple, and the method is easily validated. In addition, headspace sampling allows you to avoid large water injections that can cause column degradation and coelution.

Headspace equilibration time is normally set at 60 minutes as specified in USP 467; however, 30 minutes is usually sufficient when operating at 85 °C equilibration.

To learn how Agilent's 7697A Headspace Sampler can help you achieve the results you expect, visit agilent.com/chem/7697A

NO OTHER HEADSPACE SOFTWARE CAN MATCH THE FLEXIBILITY AND METHOD DEVELOPMENT POWER OF THE 7697A PLATFORM



Agilent's Headspace Control Software lets you tap into the full power of the system's sample handling capabilities. Using an intuitive, menu-driven interface, you can quickly create customized routines for virtually any application – and access productivity enhancements that are simply not available with other headspace software packages.

Method development and conversion tools eliminate the hassles of trial and error

The software guides you step-by-step through the method development process, and can be used successfully even by analysts with no specialized headspace knowledge. In addition, it's the *only* software that lets you:

- Create headspace methods based on *your* specific application.
- Convert an existing pressure-controlled headspace method to an Agilent method without tedious reworking. Simply input your existing method parameters, and the software will develop a working method that is ready to be optimized.


User-friendly interface and intelligent problem-solving features streamline the sampling process

Agilent's Headspace Control Software harnesses the very latest design architecture, including:

- **Comprehensive user interface** delivers real-time system status – including sample-by-sample progress indicators.
- **Color-coded tray graphics** tell you at-a-glance which samples are complete, and which are waiting to be run.
- **Integrated help** takes you directly to topics that are relevant to the screen you are using at that moment. No more wasting time searching long lists or indices!
- **Programmable sequence actions** prevent system malfunctions caused by missing vials, data errors, or other problems.
- **Bar code reader** lets you track samples before they enter the oven, so you can verify sample identity prior to analysis.

Seamlessly integrate the 7697A platform with other Agilent systems

Agilent's Headspace Control Software gives you an unprecedented level of customization, because it is compatible with most Agilent GC and GC/MS systems. This reduces costly training time by allowing every headspace model in your lab to run on the same user-friendly interface.




Resource conservation protocols save time and gas... and can even help save the environment

With many headspace systems, turning the gas on and off is a tedious, complex procedure that makes it difficult to manage resources wisely. Headspace Control Software, however, lets you instruct the system to shut itself down when the run is complete (similar to a programmable thermostat). So you can use less gas and electricity, and help conserve our natural resources.

The 7697A Headspace Sampler is designed to conserve electricity, gas, and other valuable resources without sacrificing productivity.

Using the Agilent Headspace Control Software's method editor, gives you unprecedented control of the pneumatic processes associated with sampling of a headspace vial, all in an intuitive interface.



The sequence action screen lets you specify courses of action for situations such as missing vials, unreadable bar code labels, or incorrect vial size. This allows you to adjust the 7697A Headspace Sampler to meet your workflow requirements.



To put this breakthrough software to work for your lab, visit agilent.com/chem/7697A

PUT PROVEN PRECISION BEHIND YOUR EVERY INJECTION

The Agilent 7697A Headspace Sampler combines the trusted reliability of our 7890B GC and 7693A Automatic Liquid Sampler architecture with advancements that minimize analyst-to-analyst variability, accelerate sample preparation, and reduce rework.

- **Standard electronic pneumatic control (EPC)** with barometric pressure compensation sets a new benchmark for headspace sampling precision, as shown below.
- **Multiple headspace extraction** minimizes matrix effects and maximizes sensitivity for low-concentration analysis.
- **Ergonomic crimper** with easy-adjustment feature promotes proper vial capping, while decreasing hand fatigue.

Headspace analysis is the best alternative to direct injection for samples containing components that might negatively affect the inlet, column, or detector.



Class 2A and Class 2B solvents at limit concentrations n=20, USP <467> Procedure A (aqueous)

Solvent	%RSD	Solvent	%RSD
Methanol	1.69	Ethylbenzene	2.25
Acetonitrile	1.12	m and p-xylene	2.33
Dichloromethane	1.78	o-xylene	2.46
Trans 1,2 Dichloroethene	2.22	Hexane	2.54
Cis 1,2 Dichloroethene	2.11	Nitromethane	4.32
Tetrahydrofuran	0.80	Chloroform	1.92
Cyclohexane	2.85	1,2 dimethoxyethane	6.28
Methylcyclohexane	5.21	Trichloroethene	2.66
1,2 dioxane	1.55	Pyridine	2.80
Toluene	2.26	2-Hexanone	1.58
Chlorobenzene	2.33	Tetralin	1.66



GET HEADSPACE PRECISION AND PERFORMANCE WITH A SYSTEM THAT IS PERFECTLY SIZED FOR YOUR NEEDS

Agilent's 12-vial 7697A Headspace Sampler gives you the exact same hardware and software advantages of its 111-vial counterpart with the exception of removable vial trays, priority vial positioning, and 12-sample oven. It is ideal for academic institutions and labs with lower throughput needs – and can be upgraded to our 111-vial 7697A Headspace Sampler if your needs change.



The 12-vial 7697A Headspace Sampler is compatible with the Agilent 7820 Series GC systems, and will also work with the Agilent 7890B Series GC systems.



Save time and money with a single set of compliance protocols for all your chromatography systems

Even if your lab is filled with instruments from diverse manufacturers, Agilent's **Enterprise Edition** can give you all the advantages of a harmonized qualification approach.

Enterprise Edition compliance protocols – tested and validated by Agilent – are compatible with Agilent, Waters, Thermo, Shimadzu, PerkinElmer, Gilson and other lab instruments. You can count on Enterprise Edition to:

- Keep all your instruments current with regulatory and enforcement requirements.
- Reduce OQ Reviews from days to minutes with secure, single-signature PDF electronic records.
- Comply with the FDA's "GMP for the 21st Century" initiative.
- Lower compliance costs through automation, standardization, and user-friendly reporting.

For more information about Agilent Headspace systems, services, and support, visit agilent.com/chem/7697A

Our catalog of new applications is ever growing.

To learn more about the Agilent 7697A GC Headspace Sampler, visit us online at agilent.com/chem/7697A

Learn more: agilent.com/chem

Buy online: agilent.com/chem/store

Find an Agilent customer center in your country: agilent.com/chem/contactus

U.S. and Canada
1-800-227-9770
option 3, then option 3 again
agilent_inquiries@agilent.com

Europe
info_agilent@agilent.com

Asia Pacific
inquiry_lsca@agilent.com

Agilent's 7697A GC Headspace Sampler outperforms pressure-controlled systems with:

- **Unique sampling technology** that lets you shorten retention times through the safe use of hydrogen as a carrier gas.
- **An isolated carrier path** that lets you vent vials safely while your sample is running.
- **111-vial capacity** for maximum productivity.
- **Automatic calibration, alignment, and vial leak checking** that help ensure consistent results every time.
- **An integrated bar code reader** for reliable sample confirmation.
- **Application-specific method development** using readily available parameters.
- **Fast, easy conversion** of Agilent and non-Agilent methods.

The Agilent Value Promise – 10 years of guaranteed value.

The promise guarantees you at least ten years use of your Headspace Sampler from the date of purchase, or Agilent will credit you with the residual value of the system when you upgrade to an Agilent replacement system.



This information is subject to change without notice.

©Agilent Technologies, Inc. 2013
Printed in the USA July 24, 2013
5990-7152EN



Agilent Technologies